

**Amendments to the Claims**

This Listing of Claims Replaces all prior Versions and Listings of the Claims in the Application.

**Listing of the Claims:**

1. (Currently Amended) A candle container comprising:

a holder with a top rim;

a burn control cover ~~with~~ including a top surface with an exhaust hole formed therein, a rim configured to removably attach to the top rim of the holder and a lower ring extending vertically down from an interior surface of the burn control cover and ~~extends~~ extending below the top rim of the holder ~~when the burn control cover is attached to the holder; and~~

a fitment ~~that is~~ removably attached to the burn control cover, ~~said the~~ the fitment being positioned between the burn control cover and the holder and configured to seal ~~said the~~ the candle container; and

wherein the burn control cover and holder are configured to vent air into the holder at a circumference of the rim ~~of the holder.~~

2. (Withdrawn) A candle container of claim 1, wherein the exhaust hole extends through a center portion of the burn control cover.

3. (Withdrawn) A candle container of claim 1, wherein the burn control cover includes a second exhaust hole.

4. (Withdrawn) A candle container of claim 1, wherein the fitment attaches to the burn control cover through the exhaust hole by an undercut formed on the interior surface of the burn control cover, the fitment including an outer rim in a shape corresponding to the rim of the burn control cover.
5. (Withdrawn) A candle container of claim 1, further comprising a candle positioned inside the holder.
6. (Withdrawn) A candle container of claim 1, wherein the burn control cover includes: protrusions extending down in a vertical direction from the rim of the burn control cover; and the holder includes a plurality of corresponding notches in the top rim of the holder that vary in depth to allow the protrusions sit in the notches.
7. (Withdrawn) A candle container according to claim 6, wherein a first notch is configured to be shallower than a second notch.
8. (Original) A candle container according to claim 1, wherein the rim of the burn control cover includes peaks and troughs that define air intake vents in the rim of the burn control cover whereby air may flow through the air intake vents into the holder.
9. (Original) A candle container according to claim 1, wherein the rim of the holder includes peaks and troughs that define air intake vents in the rim of the holder whereby air may flow through the air intake vents into the holder.
10. (Withdrawn) A candle container according to claim 9, wherein the fitment has an outer rim in a shape corresponding to the rim of the holder.

11. (Withdrawn) A candle container according to claim 10, wherein the fitment attaches to the bum control cover through the exhaust hole by an undercut formed on an interior surface of the bum control cover.
12. (Withdrawn) A candle container according to claim 1, wherein the holder is made of glass.
13. (Withdrawn) A candle container of claim 1, wherein the bum control cover includes a plurality of standoff tabs positioned on an underside of the rim of the bum control cover.
14. (Withdrawn) A candle container of claim 13, wherein the standoff tabs are configured to be a wedge shape.
15. (Withdrawn) A candle container of claim 13, wherein the standoff tabs are configured to include a raised shoulder for aligning the bum control cover on the holder.
16. (Withdrawn) A candle container of claim 13, wherein the fitment includes notches positioned to clear the standoff tabs when the fitment is attached to the bum control cover.
17. (Withdrawn) A candle container of claim 1, further including an undercut lip on the lower ring for attaching the fitment to the bum control cover.
18. (Withdrawn) A fitment according to claim 1, further including a handle protruding from the fitment, wherein the handle may be gripped by a user for removing the fitment from the candle container.
19. (Withdrawn) A fitment according to claim 1, further including undercut lugs configured to lock the fitment to a bum control cover.

20. (Withdrawn) A fitment according to claim 1, further including a thinned section for removing the fitment.

21. (Withdrawn) A fitment according to claim 1, further including a void in the side wall of the fitment to vent displaced air when the fitment is attached to a candle container.

22. (Withdrawn) A fitment according to claim 1, further including fins on the side wall of the fitment configured to seal a candle container.

23. - 35. (Cancelled)

36. (Currently Amended) A candle container comprising:

a holder with a top rim; and

a burn control cover ~~with~~ including a top surface with an exhaust hole formed therein; a rim extending along the circumference of the burn control cover and configured to removably attach to the top rim of the holder; and a lower ring extending vertically down from an interior surface of the burn control cover and ~~extends~~ extending below the top rim of the holder when the burn control cover is attached to the holder;

wherein the rim of the burn control cover further includes peaks and troughs defining air intake vents between the burn control cover and holder which are ~~wherein the burn control cover and holder are~~ configured to vent air into the holder of the candle container at a circumference of the rim of the holder; and

~~where the rim of the burn control cover includes peaks and troughs to define air intake vents in the rim of the burn control device.~~

Application No. 10/813,364  
Amendment dated September 13, 2006  
Reply to Office Action of March 13, 2006

37. (Previously Presented) A candle container of claim 36, wherein the exhaust hole extends through a center portion of the burn control cover.

38. (Previously Presented) A candle container according to claim 36, wherein the holder is made of glass.